

PHP Version 5.2.5 PHP Logo	
System	Linux tmini 2.6.24-1-486 #1 Thu May 8 01:29:10 UTC 2008 i686
Build Date	Jan 23 2008 14:11:09
Configure Command	./configure --prefix=/opt/lampp --with-apxs2=/opt/lampp/bin/apxs --with-config-file-path=/opt/lampp/etc --with-mysql=/opt/lampp --enable-inline-optimization --disable-debug --enable-bcmath --enable-calendar --enable-ctype --enable-dbase --enable-discard-path --enable-exif --enable-filepro --enable-force-cgi-redirect --enable-ftp --enable-gd-imgstrttf --enable-gd-native-ttf --with-ttf --enable-magic-quotes --enable-memory-limit --enable-shmop --enable-sigchild --enable-sysvsem --enable-sysvshm --enable-track-vars --enable-trans-sid --enable-wddx --enable-yp --with-ftp --with-gdbm=/opt/lampp --with-jpeg-dir=/opt/lampp --with-png-dir=/opt/lampp --with-freetype-dir=/opt/lampp --without-xpm --with-zlib=yes --with-zlib-dir=/opt/lampp --with-openssl=/opt/lampp --with-expat-dir=/opt/lampp --enable-xslt=/opt/lampp --with-xsl=/opt/lampp --with-dom=/opt/lampp --with-ldap=/opt/lampp --with-ncurses=/opt/lampp --with-gd --with-imap-dir=/opt/lampp --with-imap-ssl --with-imap=/opt/lampp --with-gettext=/opt/lampp --with-mssql=/opt/lampp --with-sybase=/opt/lampp --with-interbase=shared,/opt/interbase --with-mysql-sock=/opt/lampp/var/mysql/mysql.sock --with-oci8=shared,instntclient,/opt/lampp/lib/instantclient --with-mcrypt=/opt/lampp --with-mhash=/opt/lampp --enable-sockets --enable-mbstring=all --with-curl=/opt/lampp --enable-mbregex --enable-zend-multibyte --enable-exif --with-bz2=/opt/lampp --with-sqlite=shared,/opt/lampp --with-libxml-dir=/opt/lampp --enable-soap --enable-pcntl --with-mysqli=/opt/lampp/bin/mysqli_config --with-mime-magic --with-pgsql=shared,/opt/lampp/postgresql --with-iconv --enable-dio --with-pdo-mysql=/opt/lampp --with-pdo-pgsql=/opt/lampp/postgresql --with-pdo-sqlite --with-ming=shared,/opt/lampp
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/opt/lampp/etc
Loaded Configuration File	/opt/lampp/etc/php.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.bzip2, compress.zlib, https, ftps, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, convert.iconv.*, bzip2.*, zlib.*
This program makes use of the Zend Scripting Language Engine: Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies Zend logo	

PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
detect_unicode	On	On
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6135	6135
expose_php	On	On
extension_dir	/opt/lampp/lib/php/extensions /no-debug-non-zts-20060613	/opt/lampp/lib/php/extensions /no-debug-non-zts-20060613
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF9900	#FF9900
highlight.default	#0000CC	#0000CC
highlight.html	#000000	#000000
highlight.keyword	#006600	#006600
highlight.string	#CC0000	#CC0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./opt/lampp/lib/php	./opt/lampp/lib/php
log_errors	Off	Off
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_input_nesting_level	64	64
max_input_time	-1	-1

memory_limit	8M	8M
open_basedir	no value	no value
output_buffering	no value	no value
output_handler	no value	no value
post_max_size	8M	8M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	On	On
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	no value	no value
safe_mode_gid	On	On
safe_mode_include_dir	no value	no value
sendmail_from	me@localhost.com	me@localhost.com
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_filesize	2M	2M
upload_tmp_dir	no value	no value
user_dir	no value	no value
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	Off	Off
zend.ze1_compatibility_mode	Off	Off

apache2handler

Apache Version	Apache/2.2.8 (Unix) DAV/2 mod_ssl/2.2.8 OpenSSL/0.9.8e PHP/5.2.5 mod_apreq2-20051231/2.6.0 mod_perl/2.0.2 Perl/v5.10.0
Apache API Version	20051115
Server Administrator	you@example.com
Hostname:Port	localhost:0
User/Group	nobody(65534)/65534
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	No
Server Root	/opt/lampp
Loaded Modules	core prefork http_core mod_so mod_authn_file mod_authn_dbm mod_authn_anon mod_authn_dbd mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_dbm mod_authz_owner mod_authnz_ldap mod_authz_default mod_auth_basic mod_auth_digest mod_file_cache mod_cache mod_disk_cache mod_mem_cache mod_bucketeer mod_dumpio mod_echo mod_case_filter mod_case_filter_in mod_ext_filter mod_include mod_filter mod_charset_lite mod_deflate util_ldap mod_log_config mod_logio

	mod_env mod_mime_magic mod_cern_meta mod_expires mod_headers mod_ident mod_usertrack mod_unique_id mod_setenvif mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_balancer mod_mime mod_dav mod_status mod_autoindex mod_asis mod_info mod_suexec mod_cgi mod_cgid mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_imagemap mod_actions mod_speling mod_userdir mod_alias mod_rewrite mod_apreq2 mod_ssl mod_php5 mod_perl
--	--

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	Hw5N7H8AAQEAAAk0tcAAAAB
HTTP_USER_AGENT	Opera/9.50 (X11; Linux i686; U; en)
HTTP_HOST	localhost
HTTP_ACCEPT	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/jpeg, image/gif, image/x-bitmap, */*;q=0.1
HTTP_ACCEPT_LANGUAGE	de-DE;de;q=0.9,en;q=0.8
HTTP_ACCEPT_CHARSET	iso-8859-1, utf-8, utf-16, */*;q=0.1
HTTP_ACCEPT_ENCODING	deflate, gzip, x-gzip, identity, */*;q=0
HTTP_REFERER	http://localhost/infoag/extras/
HTTP_CONNECTION	Keep-Alive, TE
HTTP_TE	deflate, gzip, chunked, identity, trailers
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.8 (Unix) DAV/2 mod_ssl/2.2.8 OpenSSL/0.9.8e PHP/5.2.5 mod_apreq2-20051231/2.6.0 mod_perl/2.0.2 Perl/v5.10.0 Server at localhost Port 80</address>
SERVER_SOFTWARE	Apache/2.2.8 (Unix) DAV/2 mod_ssl/2.2.8 OpenSSL/0.9.8e PHP/5.2.5 mod_apreq2-20051231/2.6.0 mod_perl/2.0.2 Perl/v5.10.0
SERVER_NAME	localhost
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	/opt/lampp/htdocs
SERVER_ADMIN	you@example.com
SCRIPT_FILENAME	/opt/lampp/htdocs/infoag/extras/phpinfo.php
REMOTE_PORT	57137
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/infoag/extras/phpinfo.php
SCRIPT_NAME	/infoag/extras/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /infoag/extras/phpinfo.php HTTP/1.1
User-Agent	Opera/9.50 (X11; Linux i686; U; en)
Host	localhost
Accept	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/jpeg, image/gif, image/x-bitmap, */*;q=0.1

Accept-Language	de-DE,de;q=0.9,en;q=0.8
Accept-Charset	iso-8859-1, utf-8, utf-16, *,q=0.1
Accept-Encoding	deflate, gzip, x-gzip, identity, *,q=0
Referer	http://localhost/infoag/extras/
Connection	Keep-Alive, TE
TE	deflate, gzip, chunked, identity, trailers
HTTP Response Headers	
X-Powered-By	PHP/5.2.5
Keep-Alive	timeout=5, max=98
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html

bcmath

BCMath support	enabled
-----------------------	---------

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.2, 30-Dec-2001

calendar

Calendar support	enabled
-------------------------	---------

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	libcurl/7.17.1 OpenSSL/0.9.8e zlib/1.2.3

date

date/time support	enabled
"Olson" Timezone Database Version	2007.9
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333

date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	gdbm cdb cdb_make inifile flatfile

dbx

dbx support	enabled
dbx version	1.1.0
supported databases	MySQL ODBC PostgreSQL Microsoft SQL Server FrontBase Oracle 8 (oci8) Sybase-CT SQLite

Directive	Local Value	Master Value
dbx.colnames_case	unchanged	unchanged

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.31
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c,v 1.173.2.5.2.20 2007/06/10 20:12:45 iliaa Exp \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.39 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.7
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.7

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
RCS Version	\$Id: ldap.c,v 1.161.2.3.2.11 2007/07/17 09:09:42 jani Exp \$
Total Links	0/unlimited
API Version	3001

Vendor Name	OpenLDAP
Vendor Version	20311

libxml

libXML support	active
libXML Version	2.6.31
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	ISO-8859-1	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.script_encoding	<i>no value</i>	<i>no value</i>
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
Version	2.5.7
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	20020524

mime_magic

mime_magic support	invalid magic file, disabled
---------------------------	-------------------------------------

Directive	Local Value	Master Value
mime_magic.debug	Off	Off
mime_magic.magicfile	<i>no value</i>	<i>no value</i>

ming

Ming SWF output library	enabled
Version	0.3.0

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	FreeTDS

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.charset	<i>no value</i>	<i>no value</i>
mssql.compatability_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	Server default	Server default
mssql.textsize	Server default	Server default
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.51a
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/opt/lampp/var/mysql/mysql.sock
MYSQL_INCLUDE	-I/opt/lampp/include/mysql
MYSQL_LIBS	-L/opt/lampp/lib/mysql -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>

mysql.default_password	no value	no value
mysql.default_port	no value	no value
mysql.default_socket	no value	no value
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.0.51a
Client API header version	5.0.51
MYSQLI_SOCKET	/opt/lampp/var/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.default_host	no value	no value
mysqli.default_port	3306	3306
mysqli.default_pw	no value	no value
mysqli.default_socket	no value	no value
mysqli.default_user	no value	no value
mysqli.max_links	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8e 23 Feb 2007

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.3 2007-08-28

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	sqlite, pgsql, mysql, sqlite2

pdo_mysql

PDO Driver for MySQL, client library version	5.0.51a
---	----------------

pdo_pgsql

PDO Driver for PostgreSQL	enabled
----------------------------------	----------------

PostgreSQL(libpq) Version	8.0.3
Module version	1.0.2
Revision	\$Id: pdo_pgsql.c,v 1.7.2.11.2.1 2007/01/01 09:36:05 sebastian Exp \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	(bundled) 1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.2 2007/03/23 14:30:00 wez Exp \$
SQLite Library	3.3.17

pgsql

PostgreSQL Support	enabled
PostgreSQL(libpq) Version	8.0.3
Multibyte character support	enabled
SSL support	disabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

posix

Revision	\$Revision: 1.70.2.3.2.16 \$
-----------------	------------------------------

radius

radius support	enabled
Revision	\$Revision: 1.13 \$

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.47 2007/10/28 13:47:14 iliaa Exp \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off

session.bug_compat_42	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/tmp	/tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	1	1

shmop

shmop support	enabled
---------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.35 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

SQLite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.9 2007/05/19 17:58:22 iliaa Exp \$
SQLite Library	2.8.17
SQLite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sybase

Sybase Support	enabled
Allow Persistent Links	Yes
Persistent Links	0/unlimited
Total Links	0/unlimited
Application Name	PHP 5.2.5
Client API Version	\$Id: dblib.c,v 1.187.2.4 2005/01/07 16:34:39 jklowden Exp \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.31

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

xsl

XSL	enabled
libxslt Version	1.1.8
libxslt compiled against libxml Version	2.6.11
EXSLT	enabled
libexslt Version	1.1.8

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.95.2.6 2007/05/19 22:35:49 pajoye Exp \$
Zip version	1.8.10
Libzip version	0.7.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name
dbase
sysvsem
sysvshm

Environment

Variable	Value
TERM	xterm
SHELL	/bin/bash
WINDOWID	8388623
HUSHLOGIN	FALSE
XTERM_SHELL	/bin/bash
USER	root
LD_LIBRARY_PATH	/opt/lampp/lib:/opt/lampp/lib:
LS_COLORS	no=00;fi=00;di=01;34;ln=01;36;pi=40;33;so=01;35;do=01;35;bd=40;33;01;cd=40;33;01;or=40;31;01;su=37;41;sg=30;43;tw=30;42;ow=34;42;st=37;44;ex=01;32;*.tar=01;31;*.tgz=01;31;*.svgz=01;31;*.arj=01;31;*.taz=01;31;*.lzh=01;31;*.lзма=01;31;*.zip=01;31;*.z=01;31;*.Z=01;31;*.dz=01;31;*.gz=01;31;*.bz2=01;31;*.bz=01;31;*.tbz2=01;31;*.tz=01;31;*.deb=01;31;*.rpm=01;31;*.jar=01;31;*.rar=01;31;*.ace=01;31;*.zoo=01;31;*.cpio=01;31;*.7z=01;31;*.rz=01;31;*.jpg=01;35;*.jpeg=01;35;*.gif=01;35;*.bmp=01;35;*.pbm=01;35;*.pgm=01;35;*.ppm=01;35;*.tga=01;35;*.xbm=01;35;*.xpm=01;35;*.tif=01;35;*.tiff=01;35;*.png=01;35;*.svg=01;35;*.mng=01;35;*.pcx=01;35;*.mov=01;35;*.mpg=01;35;*.mpeg=01;35;*.m2v=01;35;*.mkv=01;35;*.ogm=01;35;*.mp4=01;35;*.m4v=01;35;*.mp4v=01;35;*.vob=01;35;*.qt=01;35;*.nuv=01;35;*.wmv=01;35;*.asf=01;35;*.rm=01;35;*.rmvb=01;35;*.flc=01;35;*.avi=01;35;*.fli=01;35;*.gl=01;35;*.dl=01;35;*.xcf=01;35;*.xwd=01;35;*.yuv=01;35;*.aac=00;36;*.au=00;36;*.flac=00;36;*.mid=00;36;*.midi=00;36;*.mka=00;36;*.mp3=00;36;*.mpc=00;36;*.ogg=00;36;*.ra=00;36;*.wav=00;36;
PATH	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
MAIL	/var/mail/root
PWD	/home/toni
LANG	de_DE.UTF-8
XTERM_LOCALE	de_DE.UTF-8
XTERM_VERSION	XTerm(235)
HISTCONTROL	ignoredups
HOME	/root
SHLVL	8
LOGNAME	root
DBUS_SESSION_BUS_ADDRESS	unix:abstract=/tmp/dbus-GmrKBAzL5A,guid=d296df4a1f2833c9a36c12a94936f941
WINDOWPATH	7
DISPLAY	:0.0
XAUTHORITY	/home/toni/.Xauthority
_	/opt/lampp/bin/httpd

PHP Variables

Variable	Value
PHP_SELF	/infoag/extras/phpinfo.php
_SERVER["UNIQUE_ID"]	Hw5N7H8AAQEAAAk0tAAAAAB
_SERVER["HTTP_USER_AGENT"]	Opera/9.50 (X11; Linux i686; U; en)

_SERVER["HTTP_HOST"]	localhost
_SERVER["HTTP_ACCEPT"]	text/html, application/xml;q=0.9, application/xhtml+xml, image/png, image/jpeg, image/gif, image/x-xbitmap, */*;q=0.1
_SERVER["HTTP_ACCEPT_LANGUAGE"]	de-DE,de;q=0.9,en;q=0.8
_SERVER["HTTP_ACCEPT_CHARSET"]	iso-8859-1, utf-8, utf-16, */;q=0.1
_SERVER["HTTP_ACCEPT_ENCODING"]	deflate, gzip, x-gzip, identity, */;q=0
_SERVER["HTTP_REFERER"]	http://localhost/infoag/extras/
_SERVER["HTTP_CONNECTION"]	Keep-Alive, TE
_SERVER["HTTP_TE"]	deflate, gzip, chunked, identity, trailers
_SERVER["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.8 (Unix) DAV/2 mod_ssl/2.2.8 OpenSSL/0.9.8e PHP/5.2.5 mod_apreq2-20051231/2.6.0 mod_perl/2.0.2 Perl/v5.10.0 Server at localhost Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.8 (Unix) DAV/2 mod_ssl/2.2.8 OpenSSL/0.9.8e PHP/5.2.5 mod_apreq2-20051231/2.6.0 mod_perl/2.0.2 Perl/v5.10.0
_SERVER["SERVER_NAME"]	localhost
_SERVER["SERVER_ADDR"]	127.0.0.1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	127.0.0.1
_SERVER["DOCUMENT_ROOT"]	/opt/lampp/htdocs
_SERVER["SERVER_ADMIN"]	you@example.com
_SERVER["SCRIPT_FILENAME"]	/opt/lampp/htdocs/infoag/extras/phpinfo.php
_SERVER["REMOTE_PORT"]	57137
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/infoag/extras/phpinfo.php
_SERVER["SCRIPT_NAME"]	/infoag/extras/phpinfo.php
_SERVER["PHP_SELF"]	/infoag/extras/phpinfo.php
_SERVER["REQUEST_TIME"]	1228339692
_SERVER["argv"]	Array ()
_SERVER["argc"]	0
_ENV["TERM"]	xterm
_ENV["SHELL"]	/bin/bash
_ENV["WINDOWID"]	8388623
_ENV["HUSHLOGIN"]	FALSE
_ENV["XTERM_SHELL"]	/bin/bash
_ENV["USER"]	root
_ENV["LD_LIBRARY_PATH"]	/opt/lampp/lib:/opt/lampp/lib:
_ENV["LS_COLORS"]	no=00:fi=00:di=01;34:ln=01;36:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:su=37;41:sg=30;43:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.svgz=01;31:*.arj=01;31:*.taz=01;31:*.lzh=01;31:*.lzma=01;31:*.zip=01;31:*.z=01;31:*.Z=01;31:*.dz=01;31:*.gz=01;31:*.bz2=01;31:*.bz=01;31:*.tbz2=01;31:*.tz=01;31:*.deb=01;31:*.rpm=01;31:*.jar=01;31:*.rar=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*.jpg=01;35:*.jpeg=01;35:*.gif=01;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;35:*.png=01;35:*.svg=01;35:*.mng=01;35:*.pcx=01;35:*.mov=01;35:*.mpg=01;35:*.mpeg=01;35:*.m2v=01;35:*.mkv=01;35:*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wmv=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=01;35:*.flc=01;35:*.avi=01;35:*.fli=01;35:*.gl=01;35:*.dl=01;

	35:*.xcf=01;35:*.xwd=01;35:*.yuv=01;35:*.aac=00; 36:*.au=00;36:*.flac=00;36:*.mid=00;36:*.midi=00; 36:*.mka=00;36:*.mp3=00;36:*.mpc=00;36:*.ogg=00; 36:*.ra=00;36:*.wav=00;36:
_ENV["PATH"]	/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin
_ENV["MAIL"]	/var/mail/root
_ENV["PWD"]	/home/toni
_ENV["LANG"]	de_DE.UTF-8
_ENV["XTERM_LOCALE"]	de_DE.UTF-8
_ENV["XTERM_VERSION"]	XTerm(235)
_ENV["HISTCONTROL"]	ignoredups
_ENV["HOME"]	/root
_ENV["SHLVL"]	8
_ENV["LOGNAME"]	root
_ENV["DBUS_SESSION_BUS_ADDRESS"]	unix:abstract=/tmp/dbus- GmrKBaZL5A,guid=d296df4a1f2833c9a36c12a94936f941
_ENV["WINDOWPATH"]	7
_ENV["DISPLAY"]	:0.0
_ENV["XAUTHORITY"]	/home/toni/.Xauthority
ENV[""]	/opt/lampp/bin/httpd

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.